


Spacification

- ZInc Alloy Material
- Fingerprint Capacity/Password Capacit: 40
- Wireless Structure, Modular System
- Rechargeable 1000 mAh Lithium Battery
- Cooperate With Tuya BLE Application, Fingerprint
- Cooperate With Password and Mechanical Key
- Suitable For 12-35mm Double Glass Door
- Suitable For 5-12mm Single-layer Glass Door
- Suitable For 16/18mm Slim Aluminum Frame



Note: Manual measurement, there may be 1-2cm error

- Wire free from front panel to rear panel. do not worry about connection & Drilling.
- High sensitivity of touchscreen digital board.
- Charge the lock with the power bank directly with the Micro USB cable.
- With key hole for emergency Purpose.
- Can set for "Normally Open mode" at Set the time, and open the door directly.
- Universal handle direction, any door open type suitable.
- DIY, About 10 mins without drilling.

It'll meet all your need about smart lock. With advanced APP management, via WiFi or BLE to connect the smart lock to your smart phone, and you can manage your smart door lock anywhere and anytime.





COMPLETE SOLUTION UNDER ONE ROOF



SMART DOOR LOCK



SMART CABINET LOCK



SMART HOTEL LOCK

- **(a)** +91-79-27546728 / +91-79-27540962
 - **(** Toll Free: 1800 103 5841
 - info@jaldigitalsystem.com
 - www.jaldigitalsystem.com