





WI-FI AHD

Tuya Smart Video Doorphone

Model: RL-T10HA-WIFI



Works with
Google Assistant



1080P HD

Dual Band WiFi 6

Smart Linkage

App-Based

Remote
Screenshot & Video

Night Vision

Transfer

Dormant

256GB
TF card (optional)

Motion-Sensing

10"

Intercom

Wide Angle

Ring Customize

Unlock

See, Hear and Speak to Visitors from Anywhere

Home



Away




tuya




Angle Mount

You can have a good view of visitors coming to your door

Or left



Or right



1080P AHD Doorbell

- * Built-in Mega HD camera
- * More clear than 800TVL and 1200TVL



1080P



1200TVL



800TVL




Indoor unit Supports Dormant Mode




Multiple ways to access the villa



1. Indoor unit



2. SMARTPHONE



● 00:18:28

REO ●



Record



Screenshot



Motion-Sensing




Weatherproof

Suitable for outdoor use



Night Vision camera


Capture clear image even at night



Motion Detection


Use AI to identify humans and filter moving things that are not humans

Humans



Sound an alarm if humans detected

Not Humans



Filter moving things that are not humans


Schedule video recording when going out



PRODUCT DETAILS

Indoor unit

10 inch



PRODUCT DETAILS

1080P



1


Easy 4-wire connection

Between Indoor & Outdoor Units



RVV3+SYV75-3 connection


Between Indoor & Outdoor Units



3

RVV3+SYV75-3 connection

Between Indoor & Indoor Units





Dual Band WiFi 6 + Ethernet Cable Connection

2.4GHz WiFi & 5.0 GHz WiFi network configuration.

Support wired network connection when the Wi-Fi signal is weak



Suitable for Various Environments



Packing list



Oblique Base
(optional)



Rain shade
(optional)



Outdoor unit



Indoor unit



Bracket
for indoor unit



Adapter



Screws & anchors



15m cable
(optional)



TV cable
Unlock cable



4-Pin cable

Specifications

Indoor unit

Adapter	Input: AC100-240V Output: DC12V 2A
Power Consumption	Static State<2W, Working State<9W
Wireless Network	Frequency: 2.4GHz&5GHz protocol: 802.11a/b/g/n/ac/ax
TF card	16GB/32GB/64GB (FAT format) 128GB/256GB (exFAT format) >=CLASS 10
Video	Video input AHD (default) /TVI/CVI/CVBS
	Pixels 2.0MP (default) 1.3MP, 1.0MP, 800TVL
Motion detection	1 of 4 channels can be detected
LCD dimension	10.1" MIPI interface
Resolution	1024*600
Ring/talk volume	75~85dB (30cm)
Video Recording	MOV format
Recording Type	Circulation
Outline Size	260(W)*162(H)*25(D)mm
Operating environment	Temperature -10 °C ~ 50 °C
	Humidity 10% ~ 90% (RH)